

	Ref #	Hits	Search Text
1	S1	3320	709/229,225.ccls.
2	S4	979	plural\$4 near3 packet\$1 and authentikat\$4
3	S5	15160	(access near3 charge\$1) and cache(proxy)
4	S7	15	S1 and S6
5	S6	181	S4 and S5
6	S8	711	S1 and S5
7	S9	328	authentikat\$4 same service\$1 and (session adj identifier)
8	S10	13	S8 and S9
9	S11	418	S8 and packet\$1
10	S12	159	(client\$1 near2 usage) same service\$1
11	S14	1	S11 and S13
12	S13	94	(client\$1 near2 usage) with service\$1
13	S15	50	S4 and S1
14	S16	1	"5958016".pn.
15	S17	8	internet adj charging
16	S18	1	"5818725".pn.
17	S19	1	"6721716".pn.
18	S20	3323	709/229,225.ccls.
19	S21	980	plural\$4 near3 packet\$1 and authentikat\$4
20	S22	328	authentikat\$4 same service\$1 and (session adj identifier)
21	S23	1	(S20 and S21) and S22
22	S24	50	(S20 and S21)
23	S25	1	packet\$1 with ((charge\$1 near2 time) and( free adj2 time))

	<b>DBs</b>
<b>1</b>	US-PGPUB; USPAT; EPO; JPO
<b>2</b>	US-PGPUB; USPAT; EPO; JPO
<b>3</b>	US-PGPUB; USPAT; EPO; JPO
<b>4</b>	US-PGPUB; USPAT; EPO; JPO
<b>5</b>	US-PGPUB; USPAT; EPO; JPO
<b>6</b>	US-PGPUB; USPAT; EPO; JPO
<b>7</b>	US-PGPUB; USPAT; EPO; JPO
<b>8</b>	US-PGPUB; USPAT; EPO; JPO
<b>9</b>	US-PGPUB; USPAT; EPO; JPO
<b>10</b>	US-PGPUB; USPAT; EPO; JPO
<b>11</b>	US-PGPUB; USPAT; EPO; JPO
<b>12</b>	US-PGPUB; USPAT; EPO; JPO
<b>13</b>	US-PGPUB; USPAT; EPO; JPO
<b>14</b>	USPAT
<b>15</b>	USPAT
<b>16</b>	USPAT
<b>17</b>	USPAT
<b>18</b>	US-PGPUB; USPAT; EPO; JPO
<b>19</b>	US-PGPUB; USPAT; EPO; JPO
<b>20</b>	US-PGPUB; USPAT; EPO; JPO
<b>21</b>	US-PGPUB; USPAT; EPO; JPO
<b>22</b>	US-PGPUB; USPAT; EPO; JPO
<b>23</b>	US-PGPUB; USPAT; EPO; JPO

	Ref #	Hits	Search Text
24	S26	191	((charge\$1 near2 time) and( free adj2 time))
25	S27	5	S26 and time adj2 element
26	S28	0	S26 and acess adj charge\$1
27	S29	5	S26 and access adj charge\$1
28	S30	1	(packet adj2 type) same (sequence adj number) same (session adj identifier) and (authentikat\$4 adj2 element)
29	S31	2	(packet adj2 type) same (sequence adj number) same (session adj identifier)
30	S32	1	(packet adj2 type) same (sequence adj number) same (session adj identifier) and key
31	S33	1	(packet adj2 type) same (sequence adj number) same (session adj identifier) and session adj key
32	S34	2411	search\$4 near3 cache or proxy and redundant adj2 packet\$1
33	S35	127	S34 and (sav\$3 or add\$3 or log\$4)near3 packet\$1
34	S36	17	S35 and updat\$3 near2 database
35	S37	10	send\$3 same redundant adj packet\$1 and (UDP or user adj datagram adj protocol)
36	S38	1	"6615258".pn.
37	S39	101789	receiv\$4 same login adj request\$1 with send\$3 near3 hash and session identifier
38	S40	101789	((receiv\$4 with (login adj request\$1)) with (send\$3 near3 hash)) and session identifier
39	S41	618	S40 and session adj key and packet\$1
40	S42	3323	709/229,225.ccls.
41	S44	2	S43 and (hash\$3 near4 session adj key)

	<b>DBs</b>
<b>24</b>	US-PGPUB; USPAT; EPO; JPO
<b>25</b>	US-PGPUB; USPAT; EPO; JPO
<b>26</b>	US-PGPUB; USPAT; EPO; JPO
<b>27</b>	US-PGPUB; USPAT; EPO; JPO
<b>28</b>	US-PGPUB; USPAT; EPO; JPO
<b>29</b>	US-PGPUB; USPAT; EPO; JPO
<b>30</b>	US-PGPUB; USPAT; EPO; JPO
<b>31</b>	US-PGPUB; USPAT; EPO; JPO
<b>32</b>	US-PGPUB; USPAT; EPO; JPO
<b>33</b>	US-PGPUB; USPAT; EPO; JPO
<b>34</b>	US-PGPUB; USPAT; EPO; JPO
<b>35</b>	US-PGPUB; USPAT; EPO; JPO
<b>36</b>	US-PGPUB; USPAT; EPO; JPO
<b>37</b>	US-PGPUB; USPAT; EPO; JPO
<b>38</b>	US-PGPUB; USPAT; EPO; JPO
<b>39</b>	US-PGPUB; USPAT; EPO; JPO
<b>40</b>	US-PGPUB; USPAT; EPO; JPO
<b>41</b>	US-PGPUB; USPAT; EPO; JPO

	Ref #	Hits	Search Text
42	S43	39	S41 and S42
43	S45	0	(hash\$3 near3 session adj key) and compar\$3 near3 key and login adj service
44	S46	10	(hash\$3 near3 session adj key) and compar\$3 near3 key
45	S48	1	"6289451".pn.
46	S49	1	"6651099".pn.

	<b>DBs</b>
<b>42</b>	US-PGPUB; USPAT; EPO; JPO
<b>43</b>	US-PGPUB; USPAT; EPO; JPO
<b>44</b>	US-PGPUB; USPAT; EPO; JPO
<b>45</b>	USPAT
<b>46</b>	USPAT